

# Teens, Young Adults, and STDs

Johnson County Health Department

Amber Terhune, RN, BSN, Health Educator November 2017



This document was generated automatically by Vizle

## Your Personal Video Reader Assistant Learn from Videos Faster and Smarter

## VIZLE PRO / BIZ

PDF, PPT Watermarks

- Convert entire videos
- Customize to retain all essential content
- Include Spoken Transcripts
- Customer support

Visit https://vizle.offnote.co/pricing to learn more

#### VIZLE FREE PLAN

PDF only Watermarks

- Convert videos partially
- Slides may be skipped\*
- Usage restrictions
- No Customer support

Visit https://vizle.offnote.co to try free

Login to Vizle to unlock more slides\*



## Treatment Guidelines

- Not all can be cured
- Medication may help with symptoms
- Treat ASAP if curable
- Take ALL medication
- Do not have sex until treatment completed or 7 days after




CDC. Secondly Transmitted Disease (STDs): STD Prevention Infographics, 10 Dec. 2015. https://www.cdc.gov/std/products/infographics.htm

# Genital Herpes

- Caused by HSV-1 and HSV-2
- Estimated 776,000 new cases in US each year

#### Health Risks

- Meningitis
- Encephalitis
- Increase HIV Pregnancy chance complications



Later Stages

 Not all affected areas covered by condom

herpes sore

- No cure
- Anti-viral medications help with symptoms

Spread by sexual contact,

saliva, or contact with

Spatel. Careinfo.in. Genital Herpes Causes, Symptoms and Treatment, n.d. http://careinfo.in/2017/03/genital-herpes/



Vizle

## HIV/AIDS

- 22% of all new HIV diagnoses in 2015 were 13-24 year olds
- More at risk after getting other STDs
- Pre-exposure prophylaxis available for those at very high risk

Positive Med. 16 Signs That May Indicate HIV, 14 May 2013. http://positivemed.com/2013/05/14/16-signs-that-may-indicate-hiv/

## Symptoms and spread of HIV and AIDS

Human immunodeficiency virus (HIV) causes Acquired Immune Deficiency Syndrome (AIDS)

# The AIDS virus Revene transcriptase p 14 p 7 p 9 Protease Lipid by-layer g 120 g 41

Human immunodeficiency virus (MIV) penerisates the human body ≥ weakens the immune system ≥ affects cells that right effection (II-)-yeaphocytes or (II-6). The body is unable to flight infection ≥ This results in one

#### How the infection spreads



Joint

Joint use of syringes, needles and other injection systems The use of non-sterile tattooing and skin piercing instruments

1

The use of other people's szors and tooth brushes with blood residue



HIV-positive mothers can infect their babies during pregnancy, birth and while breast-feeding 8

Treatment and diagnostic methods, including surgery, blood transfusion, injections, str.

#### Symptoms

- · Fever lasting over a month
- Diarrhea lasting over a month
- Unexplainable weight loss of 10 percent of body mass or more
- Protracted pneumonia
   Constant cough
- Protracted and relapsing virus, bacterial
- and parasitic diseases
  - Lymph nodes remain swollen for over a month.
     Sub-acute encephalitis

### AIDS is the final

- stage of the disease
- Cancerous AIDS (Kaposi's sarcoma and brain lymphoma)
- Neuro-AIDS (various diseases of the central)
- nervous system and perighesal nerves)

  Numerous AIDS-related infections
- The virus can remain inert inside the human body for 10-12 years

#### Diagnostics

ADS centers offer free tests to detect virus antibodies using immune-ferment analysis

#### After the virus enters the bloodstream, it takes the buman body between 25 days and three months to create the required number of antibodies necessary for detection in blood tests. Patients may test negative during this "window period."

#### rreatment

No cure for AIDS has been found, Some treatments make it possible to seriously extend the lifespan of HM-positive individuals and to improve their quality of life.


13



# Syphilis

- 326 primary and secondary cases reported in Indiana in 2015
- Spread by direct contact with syphilis sore, sexual activity, from mother to unborn baby
- Not all areas may be covered by condom
- Treat with antibiotics ASAP
- May lead to permanent organ damage and/or death

### Primary > Secondary > Latent > Tertiary



Burrell Street. Twitter. #Syphilit, 7 Jun. 2017. ps://twitter.com/BurrellStreet/status/8724619088671375.



This document was generated automatically by Vizle

## Your Personal Video Reader Assistant Learn from Videos Faster and Smarter

## VIZLE PRO / BIZ

PDF, PPT Watermarks

- Convert entire videos
- Customize to retain all essential content
- Include Spoken Transcripts
- Customer support

Visit https://vizle.offnote.co/pricing to learn more

#### VIZLE FREE PLAN

PDF only Watermarks

- Convert videos partially
- Slides may be skipped\*
- Usage restrictions
- No Customer support

Visit https://vizle.offnote.co to try free

Login to Vizle to unlock more slides\*