



This document was generated automatically by Vizle

Your Personal Video Reader Assistant Learn from Videos Faster and Smarter

Contact us: vizle@offnote.co

VIZLE PRO / BIZ

- Convert entire videos PDF, PPT
- Customize to retain all essential content
- Include Spoken Transcripts
- Customer support

Visit https://vizle.offnote.co/pricing to learn more


VIZLE FREE PLAN

PDF only

- Convert videos partially
- Slides may be skipped*
- Usage restrictions
- No Customer support

Visit https://vizle.offnote.co to try free

Login to Vizle to unlock more slides*





Vizle






Eruption and shedding







Pre eruptive phase

eruptive phase

Post eruptive phase

















Closed mouth Open mouth




Vertical growth (condyle- body of the mandible)









<u>SNA</u>

The anteroposterior position of the maxilla is calculated by measuring the angle SN to point A (SNA) (82°)



This document was generated automatically by Vizle

Your Personal Video Reader Assistant Learn from Videos Faster and Smarter

Contact us: vizle@offnote.co

VIZLE PRO / BIZ

- Convert entire videos PDF, PPT
- Customize to retain all essential content
- Include Spoken Transcripts
- Customer support

Visit https://vizle.offnote.co/pricing to learn more

VIZLE FREE PLAN

PDF only

- Convert videos partially
- Slides may be skipped*
- Usage restrictions
- No Customer support

Visit https://vizle.offnote.co to try free

Login to Vizle to unlock more slides*