



The major movement of food through the GI tract is called as

- Segmentation
- Movement
- Swallowing
- Peristalsis

vizle

This PDF is generated automatically by **Vizle**.  
Slides created *only for a few minutes* of your Video.



For the full PDF, please **Login to Vizle**.

<https://vizle.offnote.co> (Login via Google, top-right)

**Stay connected** with us:

Join us on **Facebook, Discord, Quora, Telegram**.



Projectile vomiting indicates

- Peptic ulcer
- Infection
- Pyloric stenosis
- Hemorrhoids

Submit Answer

Good, Right



Hyperactive bowel sounds may be a sign of

- Diarrhea
- Peptic ulcer
- Crohn's disease
- Cancer

Vizle

Submit Answer

Good. Right

When you percuss over the liver, you should hear \_\_\_\_\_ sound

V



- Resonance
- Dull
- Flat
- Tympanic

Vizle



Tiny finger like projections in the small intestine is known as

- Anus
- Rugae
- Villi
- Tinea

Vizle



Pain relieves after taking food indicates

- Peptic Ulcer
- Duodenal Ulcer
- Pancreatitis
- Appendicitis

Vizle

Next Question

Submit Answer

Good, Right



On a patient with a positive Rovsing's sign suggests what should a nurse  
do?

- Appendicitis
- Colitis
- Intestinal obstruction
- colon cancer

Submit Answer

Submit Answer

Next Question


Next Question

Good, Right

Good, Right

answer



 Visible peristalsis indicates

- Appendicitis
- Pancreatitis
- Cholelithiasis
- Intestinal obstruction

**Good, Right**

This PDF is generated automatically by **Vizle**.  
Slides created *only for a few minutes* of your Video.



For the full PDF, please **Login to Vizle**.

<https://vizle.offnote.co> (Login via Google, top-right)

**Stay connected** with us:

Join us on **Facebook, Discord, Quora, Telegram**.