

Silverback Notes: Beginner MongoDB Mistakes to Avoid



Eric Reid
Sr. Consulting Engineer, MongoDB





This document was generated automatically by Vizle

Your Personal Video Reader Assistant Learn from Videos Faster and Smarter

VIZLE PRO / BIZ

PDF, PPT Watermarks

- Convert entire videos
- Customize to retain all essential content
- Include Spoken Transcripts
- Customer support

Visit https://vizle.offnote.co/pricing to learn more

VIZLE FREE PLAN

PDF only Watermarks

- Convert videos partially
- Slides may be skipped*
- Usage restrictions
- No Customer support

Visit https://vizle.offnote.co to try free

Login to Vizle to unlock more slides*





Dev



AVOID getting hung up on need for a 'fixed schema'

AVOID using NULL values - use \$exists

Vizle



Dev + Ops



MongoDB Working Set

The size of RAM required to hold the data, indexes, etc. required by an application at peak steady-state workload.

$$\sum_{c}^{\#collections}$$
 % data
+ $\sum_{c}^{\#collections}$ indexes
+ $\sum_{c}^{\#connections}$ 1MB



This document was generated automatically by Vizle

Your Personal Video Reader Assistant Learn from Videos Faster and Smarter

VIZLE PRO / BIZ

PDF, PPT Watermarks

- Convert entire videos
- Customize to retain all essential content
- Include Spoken Transcripts
- Customer support

Visit https://vizle.offnote.co/pricing to learn more

VIZLE FREE PLAN

PDF only Watermarks

- Convert videos partially
- Slides may be skipped*
- Usage restrictions
- No Customer support

Visit https://vizle.offnote.co to try free

Login to Vizle to unlock more slides*