







This document was generated automatically by Vizle

# Your Personal Video Reader Assistant Learn from Videos Faster and Smarter

## VIZLE PRO / BIZ

PDF, PPT Watermarks

- Convert entire videos
- Customize to retain all essential content
- Include Spoken Transcripts
- Customer support

Visit https://vizle.offnote.co/pricing to learn more

### VIZLE FREE PLAN

PDF only Watermarks

- Convert videos partially
- Slides may be skipped\*
- Usage restrictions
- No Customer support

Visit https://vizle.offnote.co to try free

Login to Vizle to unlock more slides\*





Vizle
7. A female patient after laparoscopic cholecystectomy presented with cystic duct stump leak. What should be the immediate management?

- a. Roux-en-Y hepaticojejunostomy
- b. ERCP with stenting
- c. Antibiotics and conservative management
- d. Exploratory laparotomy







14. A patient presented with history of bronchospasm
Tumor was present in the ileum with increased 5-hydroxy indole acetic acid in urine. What is the diagnosis?

- a. Carcinoid syndrome
- b. Neuroblastoma
- c. Chromaffinoma
- d. Leiomyoma





21. Which of the following iodine isotope is used in the management of prostate cancer? -> LOCALIZED -> BRACKY THERAPY

- a. I-121
- b. I-123
- c. I-125
- d. I-131







brought to the emergency. Chest X-ray image is given below. What is the next step of management?

- a. Large bore needle insertion
- b. IV fluids
- c. Antibiotics
- d. Conservative management





This document was generated automatically by Vizle

# Your Personal Video Reader Assistant Learn from Videos Faster and Smarter

## VIZLE PRO / BIZ

PDF, PPT Watermarks

- Convert entire videos
- Customize to retain all essential content
- Include Spoken Transcripts
- Customer support

Visit https://vizle.offnote.co/pricing to learn more

### VIZLE FREE PLAN

PDF only Watermarks

- Convert videos partially
- Slides may be skipped\*
- Usage restrictions
- No Customer support

Visit https://vizle.offnote.co to try free

Login to Vizle to unlock more slides\*