

Catch up immunization in Saudi Arabia

Preparied by Dr.Raghad Alghorayed

Pediatric resident @King Salman Armed Forces Hospital – North Western Region .





This document was generated automatically by Vizle

Your Personal Video Reader Assistant Learn from Videos Faster and Smarter

VIZLE PRO / BIZ

PDF, PPT Watermarks

- Convert entire videos
- Customize to retain all essential content
- Include Spoken Transcripts
- Customer support

Visit https://vizle.offnote.co/pricing to learn more


VIZLE FREE PLAN

PDF only Watermarks

- Convert videos partially
- Slides may be skipped*
- Usage restrictions
- No Customer support

Visit https://vizle.offnote.co to try free

Login to Vizle to unlock more slides*





CATCH UP VACCINE Haemophilus influenzae Given 4 dose series as in 4doses series given Dose 1st -2nd dose -> minimum type b hexa vaccine 4 week . 1 st dose at age of 2 month Dose 2nd -3 rd dose → minimum 2nd dose at age of 4 month 4 week 3rd dose at age of 6 month Dose 3rd -4th dose → 6 month as final dose. 4th dose at age of 18 month This dose only necessary for children age 12 through 59 months who received 3 doses before the1st birthday. HIb Vaccine is given only one dose for children 1-5 years, no need for it for children > 5 years .







This document was generated automatically by Vizle

Your Personal Video Reader Assistant Learn from Videos Faster and Smarter

VIZLE PRO / BIZ

PDF, PPT Watermarks

- Convert entire videos
- Customize to retain all essential content
- Include Spoken Transcripts
- Customer support

Visit https://vizle.offnote.co/pricing to learn more

VIZLE FREE PLAN

PDF only Watermarks

- Convert videos partially
- Slides may be skipped*
- Usage restrictions
- No Customer support

Visit https://vizle.offnote.co to try free

Login to Vizle to unlock more slides*